Apeiron

Frozen Float64 Classification of a Homogeneous AME-1 Map and Controlled Internal EFT Spectrum

v7.13 HARD-PASS, Constrained Microscopic Completion, and Open Nonlocal Response

Venue-neutral preprint manuscript
Author: Josip Fellner
Affiliation: Independent Researcher
ORCID: https://orcid.org/0009-0003-1705-3985
Correspondence: info@apeironfield.com
Version: 1.3, 19 September 2026
Numerical reference: terminal v7.13 Stage-0 HARD-PASS; Float64 crossing schedule complete and frozen
Follow-up status reference: frozen v7.13 and the documented AP1 numerical status remain unchanged. Version 1.4 adds the closed internal EFT/microstructure and bounded UV-matching results listed in Section 11, without importing them into the frozen v7.13 numerical classification.

Scope. This document reports a frozen numerical classification and package integrity. It also records, without importing new evidence into the v7.13 result, the confirmed gate status of the separate AP1 follow-up program. Version 1.4 retains the single-carrier and black-hole reconversion statements from v1.2 and adds a separately delimited internal EFT spectrum and constrained microscopic-completion update. Those conceptual additions do not reclassify, recompute or retroactively reinterpret the numerical gates. The document does not

report continuum convergence, a unique fundamental covariant action, a completed physical nonlocal response kernel, an independently fixed heavy-mediator pole, observable curves or empirical confirmation.

1. Abstract

The stored v7.13 endpoint is a protocol HARD-PASS, not an independent-map reproduction. A later clean-room comparison did not reproduce the stored HARD-PASS classification; independent-map reproduction level V4 remains open. The comparison independently recomputed only selected scalar diagnostics from the frozen state: 7 of 10 scalar rows met the stricter cross-implementation tolerances and 9 of 10 original gates passed. A preregistered no-map precision isolation accounts for the Wronskian discrepancy under frozen forcing but does not close V4.

The frozen homogeneous Apeiron/AME-1 model is defined operationally on a spatially flat expanding FRW background by a noncanonical pressure function, a portal-coupled renormalized mode source and a discrete fixed-point map on 15361 time nodes. At the binary64 endpoint (), corresponding to the exact protocol decimal (0.4787812499999999431565811391919851303100585937 5), the inherited v7.13 state already satisfied the fixed-point criterion and required no Newton or GMRES update. The recorded fixed-point, Friedmann, continuity, Raychaudhuri, quantum-source and Wronskian diagnostics are (4.6838977141305804^{-11}), (3.818888298257304^{-12}), (3.7214611922998273^{-6}), (1.4051164250399966^{-5}), (3.883856960984437^{-8}) and (7.432742701266731^{-9}), respectively. All preregistered v7.13 gates passed and no finalization failure was recorded, yielding a HARD-PASS under the frozen protocol. The adjacent binary64 endpoint () is an immutable v6.74 NONPASS because its fixed-point and Friedmann gates failed. The classified endpoints are adjacent representable values; the exact protocol midpoint rounds to the NONPASS endpoint, terminating the frozen Float64 schedule. The independently calculated binary64 Wronskian was (2.4628917628444214^{-5}), whereas long-double mode arithmetic in the no-map isolation gave (7.613423383217004^{-9}), consistent with the stored (7.432742701266731^{-9}) under the registered mixed tolerance. The corrected source passed synthetic and static conformance audits without a new physical-map execution. The result establishes compliance with the stated numerical criteria for the frozen

discretization, not continuum convergence, empirical confirmation or an Apeiron ontology. The separate AP1 program has advanced only through confirmed, bounded numerical and structural preflights; it remains ORANGE with the G32 three-level pilot open and the physical response kernel blocked. AP2 and AP3 remain locked. No observable curve, data fit, significance or empirical preference is claimed.

For current-facing interpretation, Apeiron is now stated explicitly as a **single fundamental carrier**. Ordinary matter, dark-matter-like gravitational phenomena and dark-energy-like large-scale behavior are not treated as ontologically separate fundamental substances inside the Apeiron model; they are hypotheses about different states, organizations or manifestations of the same carrier. This is an ontological/model statement, not an empirical result of the v7.13 computation. A separate black-hole reconversion branch has reached a structural scientific-feasibility `GO`: an organized Apeiron manifestation can be represented as undergoing a local, energy-momentum-conserving transition toward more fundamental Apeiron states under extreme curvature. That branch likewise supplies no observational confirmation.

A later internal EFT/microstructure workstream, kept distinct from the frozen v7.13 classification, has now closed a controlled vacuum-spectrum and UV-boundary block. The physically normalized internal eigenmodes consist of a radial/heavy σ mode, a light phase θ mode and a Z_2^χ-protected χ mode, with neighboring tachyonic χ phases explicitly delimited. The interacting EFT remains perturbatively controlled through the nominal EFT scale, with corrected canonical coefficient $c_{X^2}^{(\phi_1)} =3.91305380277\times10^{11} M_{\rm Pl}^{-4}$ and the corresponding tree-unitarity scale $\Lambda_{\rm unit}=1.28824506\,\Lambda$. The finite χ-induced $O(p^6)$ contribution is $C_6^{(\chi)}=-21.0925 M_{\rm Pl}^{-6}$, while the closed one-loop stu/ϵ block gives $\beta_{C_6}=-2.85893108646\times10^{12} M_{\rm Pl}^{-6}$. Within the tested matching assumptions, a heavy linearly coupled Gaussian scalar mediator is the structurally preferred minimal UV class, reducing the minimal completion to a quantitative one-parameter family with $1<M_S/\Lambda\lesssim1.28824506$. This is a bounded conditional UV interpretation, not a proof of unique Apeiron microphysics: the physical nonlocal response kernel remains required before M_S can be independently fixed by a pole/mediator determination.

Keywords: numerical fixed-point classification; binary64 endpoint; gate protocol; reproducibility levels; Pauli-Villars source; FRW background map

2. Motivation and problem statement

Foundational model programs face distinct burdens of evidence. First, their internal equations and numerical decisions must be explicit enough to audit. Second, their computations must satisfy declared criteria without retrospective changes. Third, their physical interpretation must be converted into observables and compared with data. Passing one burden does not discharge the others.

The present work addresses the first two burdens for one frozen homogeneous Apeiron/AME-1 calculation. It asks:

1. What model and discrete map were actually evaluated?
2. What exact rules produced the terminal PASS/NONPASS classifications?
3. What does the terminal result establish, and what remains open?
4. How can later observable tests be preregistered without changing the completed numerical line?

The v7.13 result and its adjacent v6.74 counter-endpoint are treated as immutable. No solver rerun, gate change, parameter adjustment or new physical assumption is introduced in preparing this manuscript.

3. Definition and delimitation of the Apeiron model

3.1 Operational definition

The paper uses “Apeiron/AME-1” as the name of a frozen homogeneous numerical model. Its publication definition is operational: the variables, parameters, pressure function, portal coupling, quantum-source prescription, background equations, initial data, discretization and active source hashes are supplied in the associated versioned reproducibility archive.

The background is spatially flat FRW with scale factor (a), e-fold variable (N=a), Hubble rate (H>0), natural units (c=) and reduced Planck mass (M_{}=1). The numerical time coordinate is

[=H_t,=.]

3.2 Scope

The registered calculation is homogeneous and background-level. It does not contain:

- a unique fundamental covariant action;
- a closed scalar, vector or tensor perturbation theory;
- a continuum-limit demonstration;
- a global or nonlinear stability theorem;
- an observational likelihood analysis;
- an ontological test of an Apeiron medium.

The lack of a unique action-level completion is not concealed. It limits the article to the exact operational discrete model that was computed.

3.3 Meaning of the control parameter

() is the registered numerical time/control endpoint of the frozen calculation. A unique observational or cosmological mapping beyond (=H_t), including any direct mapping to redshift, remains an AP1 task. The terminal Float64 bracket must therefore not be described as a measured physical constant or exact physical phase boundary.

3.4 Current single-carrier ontology (interpretive layer)

The current Apeiron model uses one fundamental carrier as its binding ontology. The numerical variables of AME-1 are effective variables of a frozen operational model and are not asserted to enumerate the microscopic constituents of that carrier.

Within this ontology:

- ordinary baryonic matter is an organized, emergent Apeiron manifestation;
- dark-matter-like gravitational phenomena are interpreted as possible manifestations or states of Apeiron, not as a second fundamental substance;
- dark-energy-like large-scale behavior is interpreted as a possible dynamical/state manifestation of the same carrier;
- the separate Apeiron-QCD branch asks whether Higgs-sector and nonperturbative QCD/binding structures may be organized low-

energy manifestations of the same carrier, while retaining standard QCD (SU(3)) and known Standard-Model structures;
- the black-hole reconversion branch treats extreme curvature as a possible region in which organized Apeiron manifestations can return toward more fundamental Apeiron states.

This ontology is a model-level hypothesis. It is **not** established by the v7.13 HARD-PASS, and it does not change any frozen equation, gate, parameter, source hash or numerical classification reported in this paper. If unknown dark-sector particles are discovered experimentally, their existence would not by itself contradict the single-carrier ontology; they could be represented as additional organized manifestations, but that interpretation would require separate physics.

4. Frozen assumptions, degrees of freedom and equations

4.1 Stored state and degrees of freedom

The full trajectory container is

[y=(,,,,,,H,N).]

The iterated state uses six columns,

[u=(,,,,H,N),]

while the homogeneous () bookkeeping coordinate is fixed to zero. The portal sector enters through renormalized mode expectation values (_q), (p_q) and (^2_q). This six-column numerical state is not claimed to be a count of fundamental degrees of freedom in an unknown covariant completion.

The fixed-point vector is the flattened scaled state

[x=!(, , , , ,),]

with 15361 nodes, 92166 Float64 components and a full stored solution array of shape (15361).

4.2 Homogeneous pressure

Define

[X=^2,z=, b=b_+b_{}-,]

[F(z,b)=14z^{4-12z}2+bz .]

The registered pressure is

[P(X,,) =X+ (z-)^{2X}2 -E_cF(z,b)-V_s(),]

where (V_s()=*{i=0}*$^{*{4}c_i}$*i) and the five frozen coefficients are given in the canonical specification. The executable derivatives (P_X), (P*{XX}), (P_), (P_) and (P_{X}) are stated there in full.

The AME stress is

[*{}=^2+2XP_X-P, p*{}=^2+P.]

4.3 Portal and quantum source

The field-dependent portal mass is

[m_$^{2=m_{,0}}$2+ 2(v+)^2!().]

The quantum routine uses four Pauli-Villars sectors with coefficients ((1,-3,3,-1)), regulator indices ((0,1,2,3)), 128 resolved momentum nodes on the initial physical support (0k), an analytic order-0 tail and auxiliary adiabatic curvature orders 2 and 4. Mode functions are advanced by a three-substep Yoshida composition of an implicit-midpoint update.

The normalized quantum-source diagnostic represents

[_q+3H(*q+p_q) -m*^{2}2_q=0.]

4.4 Registered background map

With (*{}*={}+*q) and (p*{}=p_{}+p_q), the image map integrates

[=-3H+P_ -*m*^{2}2_q,]

[= ,]

[H=+, N=H.]

The Raychaudhuri relation

[H=-]

is retained as an independent diagnostic. Hyperbolicity gates require (P_X>0) and (P_X+2XP_{XX}>0).

4.5 Fixed-point definition

For the hash-identified image map (G),

[R(x;)=x-G(x;), *{}*=|*R*|.]

All parameters, source files, gates, tolerances, discretization and solver budgets were frozen before the terminal classification.

5. Numerical method and reproducibility

5.1 Discretization and nonlinear budget

The grid spacing is (=_{}/15360). The registered finite-difference step for Jacobian-vector products is (10^{-5}). The allowed nonlinear budget was:

- at most 6 Newton steps;
- GMRES restart 10;
- at most 16 GMRES cycles per Newton step;
- GMRES relative tolerance 0.05 and absolute tolerance 0;
- line-search factors (2^{-j}), (j=0,,12).

These values describe the frozen allowance. The terminal v7.13 evaluation consumed no Newton update because the inherited state already passed the fixed-point gate.

5.2 Persistence and immutability

The v7.13 result JSON, solution NPZ, gate register, protocol, crossing decision, terminal checkpoint state and active runtime sources are individually hashed in the archive manifest. The adjacent v6.74 result, solution and gate register are also included. The v6.74 gate table is preserved for its own classification and is not substituted for the strict v7.13 table.

5.3 Read-only verification

The read-only verifier supplied with the archive:

1. checks every registered SHA-256 digest;
2. checks cross-document identities and terminal metadata;
3. checks NPZ keys, shapes and Float64 dtypes;
4. compares the stored diagnostics with the immutable gate table;
5. checks binary64 endpoint adjacency and exact-protocol midpoint rounding.

It imports no solver module, evaluates no physical map and modifies no file. Its passing terminal message is APEIRON_PUBLICATION_PACKAGE_VERIFY_PASS. This is package-integrity verification, not independent numerical reproduction.

5.4 Reproducibility levels

Level	Meaning	Status
V0	narrative and filenames	passed
V1	narrative and structured handoff agree	passed
V2	immutable artifacts resolved and hashes verified	passed
V2.5	stored gates, array forms and crossing identities checked read-only	passed
V3	selected physical diagnostics independently recomputed from the stored state	partial: 7/10 stricter scalar comparisons and 9/10 original gates
V4	independent implementation reproduces the classification	open
V5		not begun; AP1 methods work has

Level	Meaning	Status
	observable templates preregistered and tested	not released an observable template

5.5 Independent-comparison and precision audit

The C0.29 comparison was a single preregistered passive execution. The external executor preflight passed 39/39 tests, the internal comparator preflight passed 58/58 tests, and exactly one executor and one comparator process ran. No new map, Newton, GMRES, seed or preconditioner call occurred. Seven of ten scalar rows met the stricter cross-implementation mixed tolerances, both boolean flags agreed, and nine of ten original gates agreed with the stored classification. Fixed-point and Friedmann missed only the stricter cross-implementation tolerances while still passing their original gates. The independently calculated binary64 Wronskian, (2.4628917628444214^{-5}), failed both its cross-implementation tolerance and the original (2^{-8}) gate. The registered result was therefore `independent_map_does_not_match_stored_hard_pass_classification`.

C0.30 traced the Wronskian definition and found no mathematical-definition mismatch in the mode variable, (a^{3/2}) transform, cosmic-time conversion, (H_) scaling, complex sign, sector range, normalization, node range or indexing. C0.32 then executed one separately registered no-map precision isolation using the frozen binary64 forcing. It exactly reproduced the C0.29 binary64 value and obtained (7.613423383217004^{-9}) with long-double mode arithmetic. That value passes the original gate and agrees with the stored v7.13 scalar under the registered mixed tolerance. C0.33 froze the corresponding mode/physical-transform/Wronskian/low-mode-stress source delta and passed 14/14 synthetic tests before freeze and 14/14 after fresh extraction. C0.34 separately promoted the direct order-0 PV quadrature accumulation and passed 8/8 tests before freeze and 8/8 after fresh extraction.

A source-only C0.35 audit found the corrected core quantum-source and gate implementation statically conformant in all 20 audited items. It also found one non-gating auxiliary-diagnostic definition deviation (`min_heavy_omega2` sampled at three Yoshida substep midpoints rather than the global-step midpoint), five computed auxiliary values not exposed by the final evaluation interface, and an absent

`k90_over_Lambda` diagnostic. These findings do not alter the core source arrays or registered gates, but they prevent a claim of complete diagnostic-surface conformance.

The combined conclusion is deliberately narrow: the arithmetic precision path is causally sufficient for the stored Wronskian discrepancy under frozen forcing, and the corrected core source is statically conformant. Because the corrected complete physical map has not been run on the frozen input, neither v7.13 nor C0.29 has been independently confirmed by a full second implementation.

6. Gates, tolerances and classification rules

6.1 Exact v7.13 gate table

Gate	Operator	Threshold	Recorded value	Result
fixed-point infinity norm	<	(5.0^{-11})	(4.6838977141305804^{-11})	pass
Friedmann constraint	<	(1.0^{-10})	(3.818888298257304^{-12})	pass
continuity residual	<	(1.0^{-5})	(3.7214611922998273^{-6})	pass
Raychaudhuri residual	<	(2.0^{-5})	(1.4051164250399966^{-5})	pass
quantum-source identity	<	(1.0^{-7})	(3.883856960984437^{-8})	pass
Wronskian diagnostic	<	(2.0^{-8})	(7.432742701266731^{-9})	pass
minimum total density	>	0	(2.0729288609194362^{-14})	pass
minimum H	>	0	(8.312498343027667^{-8})	pass
minimum (P_X)	>	0	(1.0523451240627972)	pass
minimum (P_X+2XP_{XX})	>	0	(1.052350229025336)	pass
finite	is	true	true	pass
finalization failure	is	null	null	pass

6.2 Classification logic

HARD_PASS requires every listed numerical gate to pass and the finalization-failure field to be null. PASS/NONPASS is a deterministic protocol classification. It is not a statistical (p)-value, likelihood statement, model-selection score or empirical verdict.

7. Results of the terminal v7.13 calculation

7.1 v7.13 endpoint

The terminal exact protocol value is

[_{}^{} =0.4787812499999999431565811391919851303100585937 5,]

stored as binary64

[_{}^{64}=0.47878124999999994.]

The terminal record reports one physical-map evaluation, zero Newton steps, no iteration log, no finalization failure and HARD_PASS. The exact diagnostic values and thresholds are listed in Section 6.

7.2 Immutable v6.74 counter-endpoint

The adjacent endpoint

[_{}^{64}=0.47878125]

is classified NONPASS in the immutable v6.74 record. Its fixed-point diagnostic (1.8866305739884126^{-10}) and Friedmann diagnostic (1.7440413453847122^{-10}) failed the gates registered for that result; its remaining documented gates passed. The counter-endpoint is used only for the frozen crossing classification.

7.3 Float64 crossing resolution

Quantity	Value
exact protocol bracket width	(5.68434188608080148696899414062 5^{-17})
	(5.551115123125783^{-17})

Quantity	Value
binary64 bracket width	
next exact protocol midpoint	(0.4787812499999999715782905695959925651550292968 75)
midpoint converted to binary64	(0.47878125), the NONPASS endpoint
endpoint relation	adjacent representable binary64 values
frozen decision	schedule complete; further Float64 bisection forbidden

The bracket is a representation- and protocol-dependent classification result. It is not an exact boundary in the real numbers or a measured physical uncertainty.

8. Physical interpretation

The result establishes a narrow technical fact: the stored v7.13 state meets the frozen numerical acceptance criteria, while the adjacent stored v6.74 endpoint is NONPASS. This closes the registered Float64 continuation schedule without reopening the solver.

The result does not demonstrate that the operational equations are unique, fundamental or empirically adequate. Passing positivity and hyperbolicity gates at the terminal trajectory does not prove global stability. Small residuals do not provide observational evidence. The ontology of an Apeiron medium remains a hypothesis outside the reach of the present calculation.

The current single-carrier interpretation therefore must not be mistaken for an additional numerical result. In particular, calling dark-matter-like effects an Apeiron manifestation is a model interpretation, not a claim that existing observations have already distinguished that interpretation from particle dark matter or from ()CDM.

The independent-comparison record adds a concrete numerical limitation. The stored reference is internally self-consistent, but the available release does not contain the complete reference residual, (D_G), the (_q), (p_q) and (^2_q) series, their component series, or mode invariants. Those quantities cannot be reconstructed or inferred from the scalar gate record. The precision isolation resolves the Wronskian mechanism, not the full-map comparison.

Physical plausibility requires separate work: action-level interpretation or another principled completion, perturbation dynamics, regulator and scheme analyses beyond the registered discrete scope, continuum/refinement evidence, comparison with established constraints and ultimately preregistered data tests.

9. Limits and unanswered questions

The principal open questions are:

1. Does the operational homogeneous model admit a defensible and sufficiently unique covariant completion?
2. Do the results persist under controlled grid and method refinement?
3. What are the linear scalar, vector and tensor perturbation equations?
4. Are the relevant sectors stable beyond the terminal background trajectory?
5. How is () mapped uniquely to observable cosmological variables?
6. Does one common parameter set satisfy expansion, growth, lensing, local and gravitational-wave constraints?
7. Can an independent implementation reproduce the terminal classification?

Items 1-7 constrain interpretation and later claims. They do not alter the already completed v7.13 classification. The current AP1 methods work and the locked AP2/AP3 packages are not prerequisites for reporting this narrowly scoped numerical result, and none may be projected backward onto it.

10. Falsifiable predictions and future work

Section 10 summarizes a prospective program, not completed evidence.

10.1 AP1 - joint expansion, growth and lensing

AP1 is intended to derive (H(z)), (w_{}(z)), (f_8(z)), ((k,z)), ((k,z)) and ((k,z)) from one frozen parameter core. Its separate workstream has fixed the minimal M-1 matter extension and passed bounded implementation, junction, transport and response-structure preflights through G32. The current atomic state is a methods-preflight PASS for a balanced coupled three-level pilot: the pilot through relative (N=0.08) remains open, any later tolerance freeze and the disjoint (N=0.0850.10) heldout remain conditional, and the physical response kernel is blocked. AP1 therefore remains ORANGE. Before data contact it still requires a unique physical () mapping, a released background, a computed and validated physical response kernel, closed perturbation equations, stability gates, fixed grids, priors, masks, likelihoods and versioned output templates. No such curves are reported here.

10.2 AP2 - residual filament gravity

AP2 is locked pending formal AP1 release. If unlocked, it would prospectively test a residual lensing profile after reconstruction of galaxies, gas and the declared comparison-model matter distribution:

[*{} =F(r*,z,d_{},{}_{}).]

It must reuse the AP1 parameter core and pass prespecified void and rotated-axis null tests. No filament signal is claimed in this paper.

10.3 AP3 - gravitational-wave propagation

AP3 is locked pending formal AP1 and AP2 release. If unlocked, it would treat (c_{}=c) as a survival condition and prospectively derive amplitude, polarization or line-of-sight observables from a closed tensor sector. No modified-propagation detection is claimed.

10.4 Cross-channel decision rule

AP1-AP3 must use one preregistered parameter core. Channel-by-channel retuning is forbidden. A conflict with any hard gate produces NONPASS for the affected hypothesis rather than retrospective adjustment of v7.13.

AP1 has executed only bounded, gate-limited methods development and remains unreleased for physical-kernel or observable production. AP2 and AP3 have not entered production work. No template values, likelihoods, curves, fits, significances or observables are reported in this manuscript.

10.5 Black-hole reconversion feasibility extension

A separate post-freeze branch tests a concept that is not part of the homogeneous v7.13 map: whether an organized Apeiron manifestation can return toward more fundamental Apeiron states in extreme black-hole curvature.

The minimal effective description introduces an organization variable

[0s,]

with (s=1) denoting an organized matter-like manifestation and (s=0) a more fundamental Apeiron state. A local directed state-change law can be written as

[u^*s*=-{} C(K)s, _{},C(K)<1,]

together with one conserved total stress-energy tensor,

[*T*{}^{}=0.]

A local curvature-response variable (K) can be driven by a non-negative strong-curvature diagnostic (W),

[*K u*^K=W-K,]

so that the reconversion variable reacts to a smooth bounded local response rather than to an imposed coordinate radius.

The feasibility result is deliberately limited. It establishes the existence of an effective class in which one carrier, directed de-organization, positivity, local total energy-momentum conservation, causal transport and a compatible hyperbolic evolution structure can coexist. It does **not** establish a unique microscopic Apeiron end state, a measured reconversion rate, a unique fundamental action or an observational detection.

The separate branch status is therefore

[ ]

at the structural-feasibility level only.

10.6 Thermodynamics, Information and Reconversion

Within the Apeiron framework, black holes and conversion regions are not interpreted as sinks in which information, energy, or physically relevant entropy disappear from the total system.

The sequence

access region → conversion region → directed phase return to Apeiron

is modeled as a transition between different physical organizations of the same underlying Apeiron system.

Observable matter degrees of freedom entering the conversion region are therefore assumed to be transformed into, or re-encoded within, Apeiron degrees of freedom. Energy and information are not postulated to be destroyed in this process.

Information conservation and entropy conservation are not identified with one another. The framework does not require the total entropy of the complete Apeiron system to remain constant. Entropy may be produced, redistributed, or transferred into Apeiron degrees of freedom during reconversion. The essential assumption is that physically relevant entropy is not simply erased by the phase transition.

The same distinction applies to Genesis. A newly formed observable matter phase may begin in a comparatively low-entropy state without requiring a decrease, erasure, or reset of the entropy of the complete Apeiron system. Entropy may remain stored, distributed, or reorganized within the larger Apeiron sector while the emergent observable phase occupies a lower-entropy configuration.

Accordingly, the Apeiron framework treats reconversion and Genesis as transformations within one larger physical system rather than as processes requiring the destruction or spontaneous resetting of information or entropy.

These statements are assumptions of the Apeiron framework. They are not presently claimed as experimentally established properties of black holes, quantum gravity, or cosmological phase transitions.

Remaining thermodynamic gap. A quantitative entropy balance, including a generalized-second-law-like consistency test across observable and Apeiron degrees of freedom, has not yet been produced and remains open.

11. Internal EFT Spectrum and Constrained Microscopic Completion

This section reports a later internal EFT/microstructure result set that is scientifically separate from the frozen v7.13 numerical classification. No value below reclassifies or recomputes the v7.13 endpoint. Result labels are used deliberately: **derived result**, **conditional UV interpretation**, **bounded parameter**, **unresolved question**, and **future test**.

11.1 Frozen vacuum and eigenmodes

Derived result. The internal Apeiron EFT admits a controlled frozen vacuum with physically normalized fluctuation eigenmodes consisting of:

- a radial/heavy \(\sigma\) mode;
- a light phase \(\theta\) mode;
- a \(Z_2^\chi\)-protected \(\chi\) mode.

The normalization and mode identification belong to the closed internal EFT block. They do not by themselves establish that these effective modes are the unique fundamental microscopic degrees of freedom of Apeiron.

11.2 Internal stability

Derived result. The frozen vacuum and its physical-mode spectrum are internally controlled in the studied EFT domain. The neighboring \(\chi\) sector contains tachyonic phases, and these are treated as adjacent phases of the internal model rather than silently removed. Their presence therefore constrains the stability domain instead of being interpreted as a failure of the controlled vacuum itself.

11.3 Interacting EFT and tree unitarity

Derived result. The interacting EFT remains perturbatively controlled through the nominal EFT scale. The corrected canonical four-point coefficient is

$$ c_{X^2}^{(\phi_1)}=3.91305380277\times10^{11}\,M_{\rm Pl}^{-4}. $$

The corresponding tree-level unitarity scale is

$$ \Lambda_{\rm unit}=1.28824506\,\Lambda. $$

These are the binding canonical values for this release. The earlier intermediate coefficient 2.9131×10^{11} and any quantities derived from it, including $\Lambda_{\rm unit}/\Lambda=1.38688$, are superseded by the erratum recorded with Version 1.4.

11.4 Z_2^χ sector

Derived result. The χ mode is protected by the internal Z_2^χ structure in the controlled vacuum. The same sector supplies the finite higher-derivative matching contribution listed below and is also the sector in which neighboring tachyonic phases are explicitly delimited. This statement is internal to the EFT and is not an observational claim about a new particle.

11.5 Higher-derivative structure

Derived result. Integrating the closed χ contribution into the local derivative expansion gives the finite $O(p^6)$ coefficient

$$ C_6^{(\chi)}=-21.0925\,M_{\rm Pl}^{-6}. $$

This coefficient is reported as an EFT matching result. It is not an independent measurement and does not determine a unique UV spectrum.

11.6 One-loop $O(p^6)$ renormalization

Derived result. The one-loop stu/ϵ block has been closed, giving

$$ \beta_{C_6}=-2.85893108646\times10^{12}\,M_{\rm Pl}^{-6}. $$

Accordingly, the local $O(p^6)$ renormalization structure used for the present microscopic-completion boundary is not left as an unspecified placeholder.

11.7 Heavy-mediator UV matching

Conditional UV interpretation. Within the tested minimal matching classes, the structurally preferred completion is a heavy, linearly coupled Gaussian scalar mediator. The result is summarized as

$$\boxed{\text{APEIRON UV MATCHING BOUNDARY: BOUNDED}}$$

This is a statement about the boundary of the minimal matching problem, not a demonstration that Nature realizes this mediator or that the full Apeiron microscopic theory has been uniquely reconstructed.

11.8 One-parameter UV family

Bounded parameter. The minimal UV branch reduces to a

$$\boxed{\text{quantitative one-parameter UV family}}$$

with one remaining microscopic parameter, M_S, constrained by

$$1<\frac{M_S}{\Lambda}\lesssim1.28824506.$$

The lower bound states that the mediator is heavy relative to the EFT scale used in the matching setup; the upper bound is tied to the corrected tree-unitarity boundary. This family is quantitatively bounded but not independently collapsed to a single mediator mass.

11.9 Remaining nonlocal-response test

Unresolved question. The physical nonlocal response kernel has not yet been produced. Therefore M_S is not independently fixed by a pole or mediator determination. The binding open point is

$$\boxed{\text{physical nonlocal response kernel still required}}.$$

Future test. A physical nonlocal kernel that resolves the relevant pole structure could provide an independent determination or exclusion of a mediator scale inside the bounded family. Until that test exists, the scientifically conservative statement is: *The existing Apeiron EFT*

admits a quantitatively controlled internal spectrum and constrains a minimal heavy-mediator microscopic completion to a bounded one-parameter family.

12. Conclusion

The frozen Apeiron/AME-1 v7.13 Stage-0 state at binary64 () satisfies every exact registered gate and is classified HARD_PASS. The adjacent binary64 endpoint () is an immutable v6.74 NONPASS because its fixed-point and Friedmann gates fail. The exact protocol midpoint converts to the NONPASS binary64 endpoint, so the registered Float64 crossing schedule is complete.

The publication package states the operational homogeneous model, exact v7.13 thresholds, artifact hashes, the partial independent-comparison result, the Wronskian precision diagnosis and a read-only verification path. The terminal v7.13 HARD-PASS remains frozen: the later work neither lifts nor independently reconfirms it. C0.29 is an open independent-reproduction finding, C0.32 isolates a sufficient technical cause for its Wronskian conflict, and C0.33-C0.35 freeze and audit the corrected no-map source. Full independent-map reproduction, continuum convergence, complete semiclassical stability, empirical confirmation and an Apeiron ontology remain open.

This manuscript reports the frozen numerical classification at the stated reproducibility level. AP1 remains a separate ORANGE follow-up workstream, while AP2 and AP3 remain locked. None has produced an empirical result.

Version 1.2 also records, without changing that evidentiary core, the current Apeiron single-carrier ontology and the separate black-hole reconversion feasibility result. Ordinary matter, dark-matter-like and dark-energy-like phenomena are treated as possible organizations/states of one carrier within the model; this remains an unconfirmed physical hypothesis. The black-hole branch is structurally feasible but empirically open.

13. Methods and reproducibility supplement

13.1 Controlled file manifest

- `APEIRON_CANONICAL_MODEL_SPECIFICATION_LATEST.md`: operational model, equations, units, state and source hashes.

- `APEIRON_V7_13_GATE_SPECIFICATION_LATEST.json`: exact thresholds, operators, values and classification.
- `APEIRON_REPRODUCIBILITY_MANIFEST_LATEST.json`: SHA-256 manifest.
- `README_REPRODUCIBILITY.md`: verification scope and instructions.
- `verify_apeiron_publication_package.py`: read-only verifier.
- `TECHNICAL_SOURCES/STAGE00_HARD_PASS_RESULT_v7_13.json`: immutable terminal result.
- `TECHNICAL_SOURCES/STAGE00_HARD_PASS_SOLUTION_v7_13.npz`: immutable terminal arrays.
- `TECHNICAL_SOURCES/RECOVERY_GATE_REGISTER_v7_13_STAGE00.json`: immutable terminal gate register.
- `TECHNICAL_SOURCES/RECOVERY_PROTOCOL_v7_13.json`: immutable protocol.
- `TECHNICAL_SOURCES/CROSSING_RESOLUTION_RESULT_v7_13.json`: immutable crossing decision.
- `TECHNICAL_SOURCES/STAGE00_NONPASS_RESULT_v6_74.json`: immutable adjacent NONPASS result.
- `TECHNICAL_SOURCES/STAGE00_NONPASS_SOLUTION_v6_74.npz`: immutable adjacent NONPASS arrays.
- `TECHNICAL_SOURCES/RECOVERY_GATE_REGISTER_v6_74_STAGE00.json`: immutable adjacent NONPASS register.
- `TECHNICAL_SOURCES/STATE_SNAPSHOT`: terminal read-only checkpoint snapshot.
- `TECHNICAL_SOURCES/ACTIVE_RUNTIME`: hash-frozen active source path.

All exact hashes are stored in the machine-readable manifest.

13.2 Verification command

From the package root:

```
python3 verify_apeiron_publication_package.py
```

Expected terminal line:

```
APEIRON_PUBLICATION_PACKAGE_VERIFY_PASS
```

14.3 Data and code availability

Data and code supporting the reported v7.13 classification are available in the public, read-only Apeiron/AME-1 Reproducibility Archive v1.0 at https://apeiron-publication-files.info523741.chatgpt.site. The core archive contains the canonical operational specification, exact gate table, immutable result/state/protocol artifacts, active source path, hash manifest and verifier. The same public download surface

separately labels later AP1 progress artifacts through the G32 methods preflight; their presence does not incorporate them into the v7.13 evidentiary core or release a physical kernel. The frozen C0.29-C0.35 audit records are available from the author on request; they are not required for the archive's read-only verification of the stored v7.13 classification. No observational dataset was analyzed.

13.4 Statistical statement

No statistical fit, parameter estimation, hypothesis-test significance, Bayes factor, information criterion or observational model comparison is reported. PASS/NONPASS denotes only deterministic numerical gate classification.

13.5 Declarations

- **Author contributions:** Josip Fellner: conceptualization, methodology, investigation, software direction, validation strategy, curation and writing.
- **Funding:** This research received no external funding.
- **Competing interests:** The author declares no competing interests.
- **Acknowledgments:** None.

- **Manuscript license:** Creative Commons Attribution 4.0 International (CC BY 4.0).

- **AI-assisted drafting disclosure:** AI-assisted analysis, source auditing and drafting were used under author direction. The author retains responsibility for the claims, evidence boundaries and final text.

12.6 Post-freeze workstream status control

The status note in Sections 1 and 10 is bound to `APEIRON_WORKSTREAM_REGISTRY_LATEST.json`, schema `apeiron-workstream-registry-v3.0`, updated 3 September 2026 at 03:32:58 UTC, and to the contemporaneous project safeguard record `Apeiron_Sicherung_aktuell.md`. Those records classify AP1 as ORANGE at the G32 methods-preflight checkpoint, with the balanced coupled three-level pilot open and the physical kernel blocked. They also state that no physical kernel has been computed, no production curve has been released, and AP2 and AP3 remain locked. This paragraph is documentary status alignment only; it adds no numerical result to the frozen v7.13 calculation.

14. Figure, table and data inventory

13.1 Tables

Table	Content	Status
Table 1	exact v7.13 gate definitions and outcomes	complete in Section 6
Table 2	Float64 crossing resolution	complete in Section 7
Table 3	verification levels	complete in Section 5
Table 4	controlled file manifest	complete in Section 12

13.2 Machine-readable products

Product	Status
terminal result JSON and solution NPZ	included and hash-verified
exact v7.13 gate and protocol JSON	included and hash-verified
crossing-resolution JSON	included and hash-verified
adjacent v6.74 NONPASS artifacts	included and hash-verified
terminal checkpoint snapshot	included and hash-verified
active runtime source path	included and hash-verified
read-only verifier and manifest	included; PASS
C0.29 passive comparison	partial scalar diagnostic evidence; not a full reproduction
C0.30-C0.35 precision and source audits	internally frozen; no new physical-map run
AP1/AP2/AP3 outputs	AP1 methods/preflight records are separate; no observable values exist; AP2/AP3 remain locked

References

Associated reproducibility material

1. J. Fellner, *Apeiron/AME-1 Reproducibility Archive*, version 1.0 (2026), https://apeiron-publication-files.info523741.chatgpt.site (accessed 3 September 2026). The archive contains the canonical operational model specification, exact gate specification, immutable numerical artifacts, SHA-256 manifest and read-only verifier; later AP1 progress records are separately labeled on the same download surface.

External primary and official context

- IEEE, IEEE Standard for Floating-Point Arithmetic, IEEE Std 754-2019 (2019).
- Y. Saad and M. H. Schultz, “GMRES: A Generalized Minimal Residual Algorithm for Solving Nonsymmetric Linear Systems,” SIAM Journal on Scientific and Statistical Computing 7, 856-869 (1986), doi:10.1137/0907058.

The retained external sources support the numerical-method context only. No external source is used to fit, calibrate or empirically test the frozen v7.13 state.